Greenline 48 Coupe

STANDARD EOUIPMENT

STANDARD DIMENSIONS

LOA: 14.99 m

Beam overall max.: 4.80 m Draft loaded: 0.98 m

DSPL light (ISO mLCC) Std. Version: 13.200 kg

Diesel: 1.500 L Water: 660 L

Std. Engine: 2 x 162 kW (2 x 220 HP)

Cat. CE: B Design: J&J Design Builder: SVP Avio d.o.o.

CONSTRUCTION

Hull in sandwich vinyl ester resin Deck in sandwich vinyl ester resin

Color (RAL 9010)

DECK FITTINGS

Anchor locker

1500 W anchor windlass 25 kg anchor

6 stainless steel cleats

Stern cleats in stainless steel, integrated fairleads

Bow railing stainless steel tube Side railing, stainless steel tube

Cockpit railing in teak

Opening hatch centrally over the bow cabin

8 portlights Navigation lights

Radar and navigation mast with navigation light Stainless steel windshield frame with tampered glass

COCKPIT

Sliding and lift-up patio door

Cockpit table and bench (cushions and cover)

Stern platform side door Swimming ladder

Storage

ACCOMMODATION (Furniture in Golden Teak

veneer)

GALLEY

Worktop in Kerrock Flexible bar to cockpit Double sink in Kerrock

Electric oven/microwave

Storage

2 electric cookers

224 L refrigerator with a separate freezer

SALON (dark laminated floor)

Storage

U-shaped sofa Salon dining table

Curtains

LED Ceiling lights

STEERING CONSOLE / NAVIGATION

Stainless steel handrail

Instrument panel. Engine controls and instrumentation

Starboard, a sliding door to the walking deck with a

2 x windshield wipers with washing system

OWNER'S CABIN FÖRWARD

2 x scissor berth (80x200cm)

A reading light (LED)

Ceiling lights (LED)

Storage

Opening hatch

4 hull opening portlights

Curtains

"En Suite" head compartment.

Marine head.

Washbasin with mixing tab Worktop in Kerrock

Mirror above the washbasin

Storage

Opening hatch "En Suite" shower compartment.

A standing shower with drain.

Opening hatch Opening portlight

GUEST CABIN TO PORT

Twin Bed (each 80 x 200 cm)

Storage Bedside locker LED reading light LED ceiling lights

"En Suite" head/shower compartment

A standing shower with drainage

Marine toilet, manual Washbasin with mixing tab Worktop in Kerrock Mirror above the washbasin

Storage

Opening hatch

GUEST CABIN TO STARBOARD

Twin Bed (each 80 x 200 cm)

Storage Bedside locker LED reading light LED ceiling lights

"En Suite" head/shower compartment.

Day toilet access

Standing shower with drain. Marine toilet, manual Washbasin with mixing tab

Worktop in Kerrock

Mirror above the washbasin

Storage

Opening hatch

ENGINE, DRIVE AND STEERING

Twin electronic throttle and gearbox controls (at the steering console).

Volvo Penta D3-220 diesel engine Hi-tensile stainless-steel shaft

2 x propeller Exhaust system

12 V engine room ventilation

Engine room light

Fuel filter: a pre-filter with a water separation unit

Cooling water pre-filter 2 polyethylene diesel tanks Bow thruster, including joystick Hydraulic steering mechanism

Two rudders at stern

PLUMBING

Water heater 60 L

Stern shower

Fresh water (total of 660 L) tanks in polyethylene

Water pressure pumps

Holding tank and slip (80l) with disposal via

seacock, per toilet

Underwater seacocks

ELECTRICAL SYSTEM

8 x Photovoltaic panels 2.400 W, 12 V

Two voltage systems are on the boat: 12V and 230V

ll systems are insulated with 3 main switches,

positioned on the main switchboard.

AC 230 V panel and fuses DC 12 V panel and fuses

Automatic inverter 12 V / 230V / 3000W

Shore power pick-up

Battery charger 60A / 12 V

GFI safety interrupter

AC 230 V sockets in the galley, saloon, in the bow

cabin, guest cabin and in the washroom

Service battery: 5 x 120 Ah (12V) Engines start batteries: 2 x 100 Ah (12V)

El. Anchor windlass

Bow thruster including battery

LED Navigation lights

Anchor light

Horn on radar mast

Transport to Koper, Slovenia Launch in water

Test sea trials

Commissioning

The specification may be changed in the aim of product improvement.

www.greenlinehybrid.si