



A NEVER-ENDING STORY OF PASSION

"OUR JOURNEY BEGAN IN 2004 WHEN MY WIFE AND MYSELF DECIDED TO TURN OUR LIVES UPSIDE DOWN", said Vladimir in a casual conversation over a coffee. "MY LIFELONG ROMANCE WAS SAILING AND THE SEA. WE LEFT RUSSIA AND BOUGHT A SAILING YACHT IN NORTHERN GERMANY SETTING SAILS FOR THE CARRIBBEAN. THE JOURNEY LASTED SEVEN YEARS AND OUR DESTINATION WAS FINDING A PLACE TO SETTLE DOWN. AFTER 250.000 MILES, SIX ATLANTIC CROSSINGS AND VISITING CLOSE TO 60 COUNTRIES, WE ARRIVED, IN SLOVENIA".

Vladimir Zinchenko became a dealer for Shipman, luxury carbon sailing yachts in 2006. In 2009 he recognized the potential of the first hybrid motor boats to be produced by Greenline Yachts, the pioneer in hybrid propulsion and the world leader with more than 550 hybrid yachts sailing.

The journey between the Carribbean and the Mediterranean ended for Vladimir and his wife in 2011 when he parted ways with his Shipman 63, and settled down.

Now, Vladimir Zinchenko is at the helm of Slovenia's largest yacht manufacturer, SVP Yachts, employing 250 people and growing rapidly with at least one new model launching every year.

"DURING OUR JOURNEYS WE LEARNED HOW TO MAKE EVERYTHING ON THE YACHT CONVENIENT, COMFORTABLE AND SAFE. WE ARE NOW SHARING THESE CONCEPTS WITH GREENLINE YACHTS AND SHIPMAN OWNERS".


IT IS NOT JUST ABOUT THE DESTINATION, IT IS ABOUT THE JOURNEY

We keep on shaping the future

SOMEWHERE, BEYOND THE SEA

"WE BELIEVE MODERN BOATERS ARE READY FOR THE NEXT STEP IN THE EVOLUTION OF LEISURE BOATING AND ARE BECOMING INCREASINGLY MORE AWARE THAT WE ARE THE ONLY ONES THAT CAN PRESERVE THE ENVIRONMENT FOR OUR CHILDREN AND GRANDCHILDREN TO ENJOY".

Vladimir Zinchenko, SVP Yachts owner and CEO





Greenline 48 Coupe launch premiered at Boot Düsseldorf

A premiere of Greenline 45 Fly (Diesel - shaft/IPS, Hybrid, Electric). Exterior J&J, interior Marco Casali

2021

OceanCLass 68 Hybrid is launched

More powerful 6G Hybrid system for 45 and 48

2020

Launch of 45 Coupe and OceanClass 68

2022

A new flagship model - Greenline 58 Fly is launched

Preserving the environment without sacrificing your comfort

ON OUR WAY TO FULLY RESPONSIBLE BOATING

Our customers want to immerse themselves in the natural world and preserve it at the same time. They want special moments with friends and family on the water but value ecological responsibility and a low impact on the environment. With our range of hybrid and fully electric boats, we allow them to do that.



Greenline Yachts are the only range of Yachts to offer H-Drive as well as full E-Drive



Organic boat wash and biodegradable garbage bags delivered with every new Greenline



Dedicated recycling garbage boxes



Renewable sources of energy with solar panels



All Yachts built-in vacuum infusion technology



We're using innovative ecofriendly fabrics such as PET foam core, grass paper and recycled materials

The world's first green country

GREENLINE YACHTS ARE BUILT IN SLOVENIA, A COUNTRY PRAISED FOR ITS INTACT NATURE AND SUSTAINABLE MINDSET OF ITS INHABITANTS





Rich heritage of nautical expertise.



World's first certified green destination

From the project to the launch

THE CONCEPT. THE TECHNOLOGIES. THE HANDCRAFTED TOUCH.



It starts with a sketch

Ideas are born in minds, but it is on paper or more often, on a computer, where they have to prove their plausibility to then truly come to life. Our team of engineers and designers meticulously study every detail in order to ensure the best possible outcome: a safe, comfortable and elegant boat.





Greenline Yachts have adopted vacuum infusion technology since its inception. Compared to traditional hand lay-up, there are several benefits such as optimal amount of resin used in the process resulting in optimal weight and stiffness, higher quality of materials used (osmosis proof vinyl ester resin) as well as being environmentally friendlier.



☆ Tooling and prototyping

The highly sophisticated tooling forms the basis for a very efficient and streamlined production process - arguably one of the most advanced worldwide.



☑ High level customization

At Greenline shipyard, the doors are always open for our customers. Before and during the purchase process, they come to select the materials, test the electronics and personally follow the building process of their boat.

> Did you know that all Greenline boats are tested on water before the delivery? Tests are carried out on Greenline's own pontoon in Marina Portorož in Slovenia, where the final preparations and hand-overs are organized too.



R

Handcrafted

Tradition and experience means a great deal in boat building. Greenline Yachts are built by some of the most skilled and experienced craftsmen, based on centuries of local boatbuilding tradition and over half a century of composite boatbuilding experience.







Custom made

From hull colour to furniture wood and upholstery, the future Greenline boat owners can customize their vessels according to their personal preferences. While wide array of materials is already on display in our showroom in Begunje, the fulfilment of special requirements can also be arranged.

Extreme Comfort & Maximum Convenience

FOR YOUR CONTINUED WELL-BEING ON BOARD

Maintaining the highest levels of comfort and convenience both on and below deck is of utmost importance across the Greenline range. The boats are stylish but our designs are always created with safety and practicality as priorities. On board storage is excellent and ease of movement around the boat is a key consideration for our design team. With the majority of heavy components mounted in the deepest part of the hull. Greenline's naturally have a low centre of gravity, making them less susceptible to rolling and generally more stable out at sea, whether stationary or on passage.

Low center of gravity: stability, safety & comfort



THE HYBRID HULL has evolved from the Greenline signature hull design called Superdisplacement, which incorporates some of the properties of a modern sailing boat hull in that it moves through the water with the least amount of drag and exceeds the theoretical speed of the hull, which is determined by the length of the waterline.

The Hybrid hull is a natural evolution of the Superdisplacement as it enables cruising at higher speeds while still maintaining optimal consumption and stability at lower cruising speeds.

The Hybrid hull allows FOR SMOOTH AND STABLE CRUISING AT 10, 12, 16, 20, 25 KNOTS AND MORE. This way the owner can choose from the range of engines offered - the power of the engines determines the cruising speed without compromising on the safety, stability or consumption levels of your Greenline.

HULL DESIGN

HYBRID



displacement, twin engine planing boat.


This revolutionary hull efficiently covers the speed range from zero to over double displacement speed - up to 18 knots in case of a 10 meter waterline and up to 25 knots in case of a 12 meter waterline.

With twin stabilizers on the Greenline 33 and 40, it has unrivalled anti-roll and tracking stability. It offers a comfortable and safe ride in all weather conditions, whether faced by a head-on, side or following sea.



We pride ourselves in having one of the most comfortable and safest ranges of boats available on the market. The Greenline concept puts comfort and convenience at the top of our priority list.

On the majority of Greenline models there is not a single step between the bathing platform and the helmsman's position. This is truly unique on a high-volume yacht and ensures a very low center of gravity, which means stability, safety and more comfort at sea.



Optimal position of the center of gravity is of the utmost importance for a vessel's stability.

Less energy required to move through the water

The fuel consumption per nautical mile is much lower than that of a comparable displacement hull and as little as one quarter of a semi-

BENEFITS


- Extremely comfortable and safe ride - Low fuel consumption and carbon footprint - Outstanding seaworthiness and stability - Low running costs


Your choice for responsible boating

H-Drive system



The hybrid system was launched in 2009 with Greenline 33 as the first production boat available with the Hybrid drive. With constant technological development, we now have the 3RD generation of the H-Drive available. Apart from the convenience of having 230V AC available at all times, the advantage of the H-Drive is also silent and emission-less navigation, which the boating community now calls "gentleman's boating". Why? Because only the Greenline Hybrid allows you to sail without disturbing your neighbours at the anchorage or in the marina. The Hybrid drive allows for cruising for up to 20 nautical miles at approx. 4-5 knots on a full charge, which is more than enough for a typical leisure day on the water.






0

The protected H-Drive connects the 4 modes of operation with full integration and simplicity. A control system simplifies the interface to the user via a single (Diesel/Electric) switch.

> \bigcirc BENEFITS - Low maintenance - Ease of use - Use of electric energy for propulsion: the running cost of electric boating is 10 times lower than burning diesel fuel - Smoke, noise and vibration eliminated - 230/120V AC power system at any time, either at the dock or at sea



 charging
 consuming passive state

CHARGING AND DRIVING MODES (GREENLINE 48 FLY EXAMPLE)





The diesel engine propels the boat and drives the generator, which recharges the battery pack. A full charge takes only 2-2.5 hours on diesel mode.



up to 23 Knots Top speed 23 Knots in diesel mode*



Twin 370 Hp

diesel engines

2 x 370 Hp Yanmar



Twin 25 kW 2 x 25 kW generator

HYBRID MODE

In the electric drive mode the boat propulsion is provided by the electric motor using the power from the Lithium battery. This zero- emission mode is used to sail in and out of a marina or anchorage with no noise, no smoke and an insignificant wake..





Twin 25 kW 2 x 25 kW Electric Motor



Range 25 NM Range at 5 knots in electric mode



8 Knots Top speed 8 knots in electric mode

AT ANCHOR

The solar roof array charges the batteries, which provide AC power supply for the appliances via an inverter. If the level of battery charge drops below a set value, the diesel engine should be switched on in order to drive the generator and charge the battery pack via generator(s). The propeller is disengaged (the gearbox is in neutral).





Up to 1.98 kW

660 W Standard. additional 1.32 kW on hard-top




Up to 80 kW/h

Up to 6 x 13.3 LiPo batteries


No need for wind to cruise in silence

E-Drive System E ELECTRIC DRIVE


Electric drive is the next logical step in the evolution and development of the Greenline Yachts range of environmentally friendly yachts. Solar panels charge the service batteries to run all appliances with constant 230/120V AC power while the main engine battery is charged by shore power with charging time as short as 4 hours for a full charge.




The E-drive mode makes your cruising silent and enjoyable while being responsible towards the environment and friendly to your pocket.



0








- Silent navigation - Longer range - Environmentally friendly boating

CHARGING AND DRIVING MODES (GREENLINE 48 FLY EXAMPLE)

power from the Lithium battery.

DEFAULT ELECTRIC MODE





11 Knots Top speed 11 knots in electric mode*





Up to 30 NM Range at 7 knots in electric mode*

In the electric drive mode the boat propulsion is provided by the electric motor using the



RANGE EXTENDER OPTION

To cover longer distances of 100 nm and more, an optional range extender can be installed. This diesel generator can charge the battery while driving in electric mode.



Þ 25 kW

Diesel generator / range extender



> 100 NM Range at 5 knots in electric mode*

AT ANCHOR

The solar roof array charges the batteries, which provide AC power supply for the appliances via an inverter.



Æ

Up to 1.98 kW 660 W Standard, additional 1.32 kW on hard-top



160 kW/h 4 x 40 kW/h lithium high performance batteries

* Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed and range estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

Solar and Batteries

Every Greenline has solar panels and AC power onboard at all times as standard with the upgrade of additional solar panels on the T-top available on the new Greenline 45 Fly and the Greenline 48 Fly. A Coupe version of the 45 Coupe is following the same philosophy as the rest of Greenline range with providing 2.97 kW (45 Coupe) of solar power to its consumers.



Solar roof

Regardless of whether you choose the H-Drive system or a standard diesel drive, your Greenline can collect and store power from the sun, utilizing highly efficient solar panels on the hardtop thereby producing plenty of electricity to power all systems including home appliances with 230V or 120V AC power to make your living onboard as pleasant and convenient as possible.

The Photo-Voltaic (PV) panels on the hardtop keep the batteries fully charged and provide additional energy for the boat's H-Drive or E-Drive system.

 $6~\mbox{PV}$ panels with forced air cooling deliver up to 1.98 kW per hour of electric power in daylight conditions.

As a result, they are capable of supplying constant power to on-board 230V or 120V consumers such as refrigerator, air conditioning and entertainment systems, thus removing the need for a generator or shore power.



Lithium batteries have been around for a while, powering your smartphones, laptop computers and other gadgets that represent a large part of our lives today. With the wider adoption of electric vehicles in recent years technology has progressed, and we are proud of the fact that starting in 2009 Greenline Yachts has been pioneering the use of Lithium Polimer batteries for heavier consumers such as electric propulsion for vessel navigating.

Greenline Yachts utilize for the H-Drive system the best lithium (Li-Po) battery technology available: up to 26 kWh on Greenline 33 and 39, up to 50 kWh on the Greenline 40 and up to 80 kWh on 45, 48 Fly and 48 Coupe.

For the standard onboard service, we equip our boats with LiFePO4-technology based batteries.

Very powerful, lightweight (7 times lighter, 1/3 of normal battery size) and maintenance-free, these batteries are the ultimate for your hybrid boat with a life expectancy of over 10 years.

🗘 BENEFITS

Green energy production
 Cost and emission-free sailing

 No maintenance



No maintenance

Ease of use

More time spent out on the water, whether cruising or at anchor
Estimated 10 years life expectancy

Lightweight and compact




SOLAR BENEFITS FOR HYBRID (GREENLINE 48 COUPE EXAMPLE)

A weekend at anchor on a Greenline without running out of energy

230V AC POWER ONBOARD ALL THE TIME

Greenline Yachts offer a unique set of benefits that no other boat on the market can offer today. You will never find yourself opening a warm bottle of wine or having to serve your friends cocktails without ice. Greenline Yachts offer 230V AC power onboard at all times even without being plugged in at the marina or running a generator. 230V AC is available as standard, even without the H-Drive option!



CONSUMPTION CONTROL SYSTEM

Complete control and monitoring of consumed energy and charging of the batteries from various sources such as alternators, solar panels or generators is available on your smartphone or tablet using mobile application via WiFi connectivity.

Our aim is to provide comfort on board like no other. With a bank of solar panels you can use all of the boat's appliances, whether cruising or at rest, without having to fire up a generator or connect to shore power. This means there is no noise, no vibrations, no emissions and no disturbing your neighbours when the boat is on anchor. By utilising high performance LiFePO4 batteries, even high load appliances like air-conditioning can be run in silence.





SOLAR BENEFITS FOR NON-HYBRID (GREENLINE 48 COUPE EXAMPLE)

Even without the hybrid drive system, there are huge benefits from Greenline's standard fit solar panels. The panels are constantly creating sustainable energy and feeding the domestic battery bank so onboard lighting and refrigeration, for example, can be run silently without having to rely on a diesel generator. This harnessing of solar power brings both peace of mind and a responsible way to create energy on board.






* Approximate consumption values can slightly vary depending on the frequency of the appliance utilizations. Approximate consumption values are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

IT'S TIME TO CHOOSE THE ONE TO CRUISE WITH TO YOUR NEXT DESTINATION











Greenline 58 Fly Page 74



OceanClass 68 Page 82

Greenline 33

Welcome home





The design of the Greenline 33 completely redefines user-friendliness in a boat and is changing the way you will spend your leisure time at sea.

Conveniently arranged interior, excellent visibility, plenty of natural light and room to move around comfortably - are all features that have never been offered on a 10-meter family boat before.

Opening bathing platform



Sheltered cockpit and sidedecks











Natural light and 360° panoramic view in the salon







Standard solar panels 1.980 W Greenline 33 found over 200 owners throughout the world already in the first eighteen months of production. Boating world honored Greenline 33 with 17 international Boat of the Year, Design and Environmental Awards – and made it arguably the most awarded yacht in history. It is also the world's best seller in the 10 m size for two consecutive years.









Twin-access, high-volume bathroom


Greenline 33



MAIN DECK



LOWER DECK



SIDE VIEW



Silent eco-navigation

Features

• Solar panels as standard	• Volvo Penta Engine
• Twin-access, high-volume bathroom	• Open galley

 Open galley Sheltered cockpit and sidedecks

 Natural light and 360° panoramic view in the salon

Opening bathing

platform

Cockpit side exit

City water connection

Cockpit storage

• 230/120V AC

power at all times

Single level living space

Adaptive

. owner's cabin

Standard dimensions

Length overall	9,99 m	32'9"
Beam overall	3,49 m	11'6''
Bridge clearance (minimum)	2,95 m	9'8"
Draft empty	0,70 m	2'4"
Displacement empty	4.800 kg appr.	10.580 lbs
Cabins	1+ salon + opt. bunk	
Max. berths	2+2+3	
Toilets/washrooms	1	
Diesel tank	500 I	132 gal
Water tank	300	80 gal
CE category	В	
Design	J&J Design	

Solar / Power management

	STANDARD PACKAGE	incl. OPTION
Standard solar panels	1,98 kW	
Standard LiFePO4 batteries	4,1 kW/h	8,2 kW/h
Standard inverter	3 kW	5 kW



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.

** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

Technical specifications

Electric Drive

Electric motor	50 kW	
Battery capacity	up to 80kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	4 kW	
Range with range extender at 5kts	up to 75 Nm	

Hybrid Drive

Electric motor	14 kW	
Battery capacity	up to 26,6 kW/h	
Max speed electric mode	6,5 kts	
Range in electric mode (5kts)	up to 20 Nm	
Diesel engine	220 hp	
Max speed diesel mode	18 kts	
Generator in diesel mode	10 kW	

Diesel Drive

170 hp Shaft drive	15 kts
220 hp Shaft drive	18 kts
Max range at 7 kts	700 Nm

Greenline 39

Discover a new sense of freedom





Stepping on board of the Greenline 39 you cannot help but be amazed by the feeling of space. The key elements of Greenline design are all there - the 360° panoramic view in the salon, the aft galley, electric fold-down transom and the spacious layout which all come together to create one of the most sociable and relaxing boats on the market today.

Step on board the Greenline 39 and discover a new sense of freedom.



360° panoramic view from the salon



Aft camera available









Comfortable sunbathing area





Open galley











Adaptive owner's cabin





Bathroom with a separate shower accessible from owner's cabin and salon 

Superb guest cabin

Greenline 39 is all about sophistication in design, technology, production and environment. Thanks to dedicated engineers and designers, as well as experienced craftsmen skilled at latest technologies in boat building Greenline 39 has become one of the most popular boats in a short time.

Greenline 39 design profited from feedback of hundreds of users from all over the world. We improved every single point, from boarding the boat to hydrodynamics, from seaworthiness with low consumption to more speed and stability.







platform



Greenline 39



MAIN DECK



LOWER DECK



SIDE VIEW



Standard dimensions

Length overall	11,99 m	39'5"
Beam overall	3,75 m	12'4"
Bridge clearance (minimum)	3,16 m	10'4"
Draft empty	0,90 m	2'11"
Displacement empty	7000 kg appr.	15.432 lbs
Cabins	2 + salon	
Max. berths	4 + 2 opt.	
Toilets/washrooms	1	
Diesel tank	700	184,2 gal
Water tank	400 I	105,67 gal
CE category	В	
Design	J&J Design	

Solar / Power management

	STAN
	PAG
Standard solar panels	1,3
Standard LiFePO4 batteries	4,1

Standard inverter



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.

** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

Features

 Solar panels as standard

• Twin-access,

high-volume bathroom

Volvo Penta Engine

Silent eco-navigation

 Opening bathing platform

City water connection

• 230/120V AC power at all times Adaptive . owner's cabin

Single level living space

Open galley

 Sheltered cockpit and sidedecks

 Natural light and 360° panoramic view in the salon

Cockpit side exit

Cockpit storage

Technical specifications

Electric Drive

ANDARD ACKAGE	OPTION	
l,32 kW		
l,1 kW/h	8,2 kW/h	
3 kW	5 kW	

Electric motor	50 kW	
Battery capacity	up to 80kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	4 kW	
Range with range extender at 5kts	up to 75 Nm	

Hybrid Drive

Electric motor	14 kW	
Battery capacity	up to 26,6 kW/h	
Max speed electric mode	6,5 kts	
Range in electric mode (5kts)	up to 20 Nm	
Diesel engine	220 hp	
Max speed diesel mode	18 kts	
Generator in diesel mode	10 kW	

Diesel Drive

220 hp Shaft drive	18 kts
370 hp Shaft drive	25 kts
Max range at 7 kts	700 Nm

Greenline 40

Leave your worries at work, it is family time now





o ↓ √

Traditional side anchor or optional bow anchor with bowsprit

> Greenline 40 redefines boating. The level of well-being at anchor or at sea has been brought to a new dimension. The comforts of moving around with ease, excellent visibility, ambient light and optimal ventilation in all areas are well above expectations.

The Greenline 40 will take care of you during the extended cruising trips you have always wanted to take.



Standard solar panels 1.980 W







Newly-designed dashboard with digital gauges

360° panoramic view in the salon

0

Open galley












The Greenline concept puts comfort and convenience at the top of our priority list making it easy to move around as there is not a single step to overcome from the bathing platform to the helmsman's position.







Adaptive owner's cabin

Bathroom with a separate shower accessible from owner's cabin and salon









Greenline 40




Standard dimensions






LOWER DECK



SIDE VIEW



Features						
• Solar panels as standard	• Volvo Penta Engine	Silent eco-navigation	Opening bathing platform	City water connection	• 230/120V AC power at all times	• Adaptive owner's cabin
• Twin-access, high-volume bathroom	• Open galley	 Sheltered cockpit and sidedecks 	• Natural light and 360° panoramic view	Cockpit side exit	Cockpit storage	Single level living space

in the salon

Length overall	11,99 m	39'5"
Beam overall	4,25 m	13'11"
Bridge clearance (minimum)	2,85 m	9'4"
Draft empty	0,85 m	2'9"
Displacement empty	8000 kg appr.	17.640 lbs
Cabins	2 + salon	
Max. berths	4 + 2	
Toilets/washrooms	1	
Diesel tank	700	184,2 gal
Water tank	400 I	105,67 gal
CE category	В	
Design	J&J Design	

Solar / Power management

	STANDARD PACKAGE	OPTION
Standard solar panels	1,98 kW	
Standard LiFePO4 batteries	4,1 kW/h	8,2 kW/h
Standard inverter	3 kW	5 kW



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.

** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

Technical specifications

Electric Drive

Electric motor	2 x 50 kW	
Battery capacity	up to 80 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	4 kW	
Range with range extender at 5kts	up to 75 Nm	

Hybrid Drive

Electric motor	2 x 14 kW	
Battery capacity	up to 53,2 kW/h	
Max speed electric mode	6,5 kts	
Range in electric mode (5kts)	up to 20 Nm	
Diesel engine	2 x 220 hp	
Max speed diesel mode	22 kts	
Generator in diesel mode	2 x 10 kW	


Diesel Drive

2 x 170 hp Shaft drive	15 kts
2 x 220 hp Shaft drive	22 kts
Max range at 7 kts	700 Nm

Greenline 45 Coupe

The solar power plant







Extra large instrument pod on lower helms

Greenline 45 Coupe offers a fresh perspective to yachting with a perfectly balanced interior layout featuring a full-beam midship owner cabin with the VIP guest cabin in the bow, both equally comfortable offering private bathrooms with separate showers.

With up to almost 3 kW of solar panels the 45 Coupe offers the maximum comfort and independance. Solar panels as standard











Opening bathing platform The 45 Coupe is a new addition to the Greenline Fleet. This boat takes the sustainability of the 45 Fly to the next level all while borrowing the comfort and luxury from its sister yacht.

sister yacht. It can hold up to 9 solar panels on its roof wich brings more independance at sea- perfect for those who never want to leave their happy place.











Full beam master cabin mid ship





Ensuite Bathroom in Master Cabin.





$\langle \bigcirc \rangle$

Superb guest cabin

Greenline 45 Coupe



Standard dimensions

Length overall	15,57 m	51'1"
Beam overall	4,57 m	14'11''
Bridge clearance (minimum)	3,62 m	11'11"
Draft empty	1,10 m	3'7"
Displacement empty	13.000 kg appr.	28.660 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2	
Diesel tank	1.500 l	396 gal
Water tank	600 I	159 gal
CE category	В	
Design exterior	J&J Design	
Design interior	Marco Casali Design	

Solar / Power management

STANDARD PACKAGE	OPTION
2,97 kW	
4,1 kW/h	10,56 kW/h
	PACKAGE 2,97 kW

Standard inverter



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted. ** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.



MAIN DECK

SOLAR ROOF



LOWER DECK A



LOWER DECK B



LOWER DECK C



Features

 Solar panels as standard

 Volvo Penta Engine Silent eco-navigation Opening bathing platform

 City water connection • 230/120V AC power at all times

 Adaptive owner's cabin

 Twin-access, Open galley high-volume bathroom

 Sheltered cockpit and sidedecks

• Natural light and 360° panoramic view in the salon

Cockpit side exit

Cockpit storage

Single level living space

Technical specifications

Electric Drive

5 kW

Electric motor	2 x 100 kW	
Battery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	25 kW	
Range with range extender at 5kts	> 100 Nm	

Hybrid Drive

Electric motor	2 x 14 kW	2 x 14 kW
Battery capacity	up to 80 kW/h	up to 80 kW/h
Max speed electric mode	6,5 kts	6,5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 220 hp	2 x 370 hp
Max speed diesel mode	18 kts	23 kts
Generator in diesel mode	2 x 10 kW	2 x 10 kW

Diesel Drive

2 x 220 hp Shaft drive	18 kts	
2 x 320 hp Shaft drive	20 kts	
2 x 370 hp Shaft drive	25 kts	
2 x 440 hp Shaft drive	28 kts	
2 x 370 hp IPS 500	30 kts	
2 x 435 hp IPS 600	34 kts	
Max range at 7 kts	> 1.000 Nm	

Greenline 45 Fly

The perfect balance





Greenline 45 Fly offers a fresh perspective to yachting with a perfectly balanced interior layout featuring a full-beam midship owner cabin with the VIP guest cabin in the bow, both equally comfortable offering private bathrooms with separate showers.

With both cabins featuring walk-in wardrobes, the 45 Fly is really the most comfortable yacht in her class.





Flybridge with U-shaped settee, sun lounge and wetbar with barbecue, icemaker and fridge





Comfortable sunbathing area







Full beam master cabin mid ship















360° panoramic view in the salon





Greenline 45 Fly is unique in its sector, both in terms of its impressive variety of propulsion options and the choice between two extremely luxurious ensuite cabins with walk-in wardrobes or a three-cabin layout with two spacious bathrooms.

Greenline 45 Fly





MAIN DECK

FLYBRIDGE



LOWER DECK A



LOWER DECK B



LOWER DECK C



Features

 Solar panels 	
as standard	

 Volvo Penta Engine Silent eco-navigation Opening bathing platform

City water connection

• 230/120V AC power at all times Adaptive

owner's cabin

• Twin-access, Open galley high-volume bathroom

 Sheltered cockpit and sidedecks

• Natural light and 360° panoramic view in the salon

Cockpit side exit

Cockpit storage

Single level living space

Standard dimensions

Length overall	15,57 m	51'1"
Beam overall	4,57 m	14'11"
Bridge clearance (minimum)	5,32 m	17'2"
Draft empty	1,10 m	3'7"
Displacement empty	13.500 kg appr.	29.700 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2	
Diesel tank	1.500	396 gal
Water tank	600	159 gal
CE category	В	
Design exterior	J&J Design	
Design interior	Marco Casali Design	

Solar / Power management

	STANDARD PACKAGE	incl. OPTION
Standard solar panels	0,66 kW	1,98 kW
Standard LiFePO4 batteries	4,1 kW/h	10,25 kW/h

Standard inverter



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted. ** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

Technical specifications

Electric Drive

Design

5 kW

Electric motor	2 x 100 kW	
Battery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	25 kW	
Range with range extender at 5kts	> 100 Nm	

Hybrid Drive

Electric motor	2 x 14 kW	2 x 14 kW
Battery capacity	up to 80 kW/h	up to 80 kW/h
Max speed electric mode	6,5 kts	6,5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 220 hp	2 x 370 hp
Max speed diesel mode	18 kts	23 kts
Generator in diesel mode	2 x 10 kW	2 x 10 kW

Diesel Drive

2 x 220 hp Shaft drive 18 kts 20 kts 2 x 320 hp Shaft drive 2 x 370 hp Shaft drive 25 kts 28 kts 2 x 440 hp Shaft drive 2 x 370 hp IPS 500 30 kts 34 kts 2 x 435 hp IPS 600 Max range at 7 kts > 1.000 Nm

Greenline 48 Coupe

Discover what being independent truly means



In yachting this means not being dependent on marinas, water supplies and mostly electricity. The ability to stay at anchor as long as you like.

of living onboard.







Open galley



The 48 Coupe is equipped with staggering 2,64 kW solar panels on the roof as standard, which is equal to a small generator output. Having continuous power onboard to run all the appliances in silence, without using any fossil fuels, not only is much friendlier to the environment, but also significantly increases the quality

> Solar panels as standard










360° panoramic view in the salon











Lower deck offers a 3 ensuite cabin layout with the master cabin in the bow and two cabins with twin berths aft. Not including the captain's quarters, accessible from the cockpit, of course.

Greenline 48 Coupe



Standard dimensions

Length overall	15,44 m	50'8"
Beam overall	4,80 m	15'8"
Bridge clearance (minimum)	3,50 m	11'6"
Draft empty	0,98 m	3'1"
Displacement empty	13.300 kg appr.	29.320 lbs
Cabins	3 (opt. 4 skip)	
Max. berths	6 + 2 salon +1	
Toilets/washrooms	3 (opt. 4 skip)	
Diesel tank	1.500	396 gal
Water tank	600	159 gal
CE category	В	
Design	J&J Design	

Solar / Power management

	STAI
	PA
Standard solar panels	2.
Standard LiFePO4 batteries	4,

Standard inverter



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.

** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.


MAIN DECK



LOWER DECK A



LOWER DECK B



*Optional skipper cabin for both version of lower deck (A and B)

Features

 Solar panels Volvo Penta Engine as standard • Twin-access, Open galley high-volume bathroom

 Sheltered cockpit and sidedecks

Silent eco-navigation

 Natural light and 360° panoramic view in the salon

Opening bathing

platform

Cockpit side exit

City water connection

Cockpit storage

• 230/120V AC

power at all times

Single level living space

Adaptive

owner's cabin

Technical specifications

Electric Drive

NDARD	incl. OPTION
CKAGE	
97 kW	

4,1 kW/h 10.25 kW/h

5 kW

Electric motor	2 x 100 kW	
Battery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	25 kW	
Range with range extender at 5kts	> 100 Nm	

Hybrid Drive

Electric motor	2 x 14 kW	2 x 14 kW
Battery capacity	up to 80 kW/h	up to 80 kW/h
Max speed electric mode	6,5 kts	6,5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 220 hp	2 x 370 hp
Max speed diesel mode	18 kts	23 kts
Generator in diesel mode	2 x 10 kW	2 x 10 kW

Diesel Drive

2 x 220 hp Shaft drive	18 kts
2 x 320 hp Shaft drive	20 kts
2 x 370 hp Shaft drive	23 kts
2 x 440 hp Shaft drive	29 kts
Max range at 7 kts	> 1.000 Nm

Greenline 48 Fly

Discover a new level of comfort





The flagship of the Greenline family, the Greenline **48** offers a host of innovative features to set her apart from the competition.

Designed for long-range cruising, with a new interior design, 3rd Generation Hybrid system, luxurious flybridge, hydraulic platform, utility compartment and much more, the Greenline 48 is designed to go the distance.

Hydraulic bathing platform





Traditional side anchor or optional bow anchor









O 360° in the

Open galley

360° panoramic view in the salon



Flybridge with U-shaped settee and sun lounge





Wetbar with barbecue, icemaker and fridge











Wider and larger owner's cabin



Two luxurious en-suite guest cabins



Separate owner's toilet and shower







Independence in terms of not having to search for marinas to plug in and rather stay at anchor as long as you like. The 48 Fly is equipped with 1.8 kW of solar panels on the roof and the optional Hard-Top, which is almost like a small generator running all the time. Having continuous and almost unlimited amount of power onboard to run all the onboard appliances in silence, without using any fossil fuels, is not only much friendlier to the environment, but also significantly increases the quality of living onboard.

Greenline 48 Fly




FLYBRIDGE




MAIN DECK



LOWER DECK A*



LOWER DECK B*



*Optional skipper cabin for both version of lower deck (A and B)

Features

Solar panels
 as standard
 Volvo Penta Engine
 as standard
 Twin-access,
 high-volume bathroom

 Sheltered cockpit and sidedecks

Silent eco-navigation

 Natural light and 360° panoramic view in the salon

Opening bathing

platform

Cockpit side exit

City water connection

Cockpit storage

• 230/120V AC

power at all times

Single level living space

Adaptive

owner's cabin

Standard dimensions

Length overall	15,44 m	50'8"
Beam overall	4,80 m	15'8"
Bridge clearance (minimum)	4,10 m	13'5"
Draft empty	0,98 m	3'01"
Displacement empty	13.500 kg appr.	29.700 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2	
Diesel tank	1.500	396 gal
Water tank	600	159 gal
CE category	В	
Design	J&J Design	

Solar / Power management

	STANDARD	incl. OPTION
	PACKAGE	
Standard solar panels	0,66 kW	1,98 kW
Standard LiFePO4 batteries	4,1 kW/h	10,25 kW/h

Standard inverter



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.
** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

72

Technical specifications

Electric Drive

5 kW

Electric motor	2 x 100 kW	
Battery capacity	160 kW/h	
Max speed	11 kts	
Cruising speed	7 kts	
Range	30 Nm	
Range extender / generator	25 kW/h	
Range with range extender at 5kts	> 100 Nm	

Hybrid Drive

Electric motor	2 x 14 kW	2 x 14 kW
Battery capacity	up to 80 kW/h	up to 80 kW/h
Max speed electric mode	6,5 kts	6,5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 220 hp	2 x 370 hp
Max speed diesel mode	18 kts	23 kts
Generator in diesel mode	2 x 10 kW	2 x 10 kW

Diesel Drive

2 x 220 hp Shaft drive	18 kts
2 x 320 hp Shaft drive	20 kts
2 x 370 hp Shaft drive	23 kts
2 x 440 hp Shaft drive	29 kts
Max range at 7 kts	> 1.000 Nm

Greenline 58 Fly

Coming Fall 2022

In light of the success of the 45 Fly, Greenline Yachts is delighted to reveal the latest addition to its revolutionary range of flybridge cruisers, the 58 Fly. Launching in autumn 2022, the all-new 58 Fly fits into the range to bridge the gap between the popular 48 Fly and flagship 68 OceanClass.

The model shows a fresh exterior look with clean lines and tight proportions retaining the focus on elements that make a Greenline such a pleasurable boat to live aboard. The single-level main deck with aft galley ensures the saloon and cockpit combine to create a large living and entertaining area and the cut-outs in the forward bulwarks align to deliver spectacular views over the water from the lower deck.



* £ * £



* 11 solar panels I 3.6kW of solar power I Boat's domestic services to run





One-level living: The yacht is designed without a single step between the cockpit and the helmsman position.

settee and sun lounge I Easy accesible anchor



Waterside living area: aft-facing transom bench & extended hydraulic bathing platform

without a noisy diesel generator



Brand new hybrid system with powerful twin 25kW electric motors that can be adapted to any diesel engine






Work remotely in comfort with the genuine functionality of a home office.

Indulge in comfort - privately or in your favourite company



Flexible watersideliving area: A spacious daybed



Flexible watersideliving area: A comfortable outside dining table for 6



Flexible watersideliving area: An entertaining space for 8.




The master cabin stretches across the boat's full beam amidships and boasts 1.96 m of headroom throughout.

Vacation or workcation? The choice is yours.





A spacious and beautifully illuminated salon makes living aboard a full pleasure.




Choose a layout with 2 or 3 comfortable bathrooms.

Greenline 58 Fly



FLYBRIDGE




MAIN DECK



LOWER DECK A*



LOWER DECK B*



LOWER DECK C*



Standard dimensions

Length overall	18,20 m	59'9"
Beam overall	5,12 m	16'9"
Bridge clearance (minimum)	6,12 m	20'09"
Draft empty	1 m	3'3"
Displacement empty	30.000 kg appr.	66.139 lbs
Cabins	2 or 3	
Max. berths	4 or 6 + 2	
Toilets/washrooms	2 or 3 + 1 optional skipper cabin)	
Diesel tank	2.500 (3.500 opt)	660 (925 gal opt)
Water tank	600	159 gal
CE category	В	
Design	Marco Casali Too Design	

Solar / Power management

	STANDARD	incl. OPTION
	PACKAGE	Incl. OF HON
Standard solar panels	1.32 kW	3.63 kW
Standard LiFePO4 batteries (24V)	10.24 kW/h	20.48 kW/h
Standard inverter	5 kW	8 kW



See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted.

** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

Technical specifications

Electric Drive

E BELECTRIC

Electric motor	2 x 100 kW	
Battery capacity	up to 320 kW/h	
Max speed	12 kts	
Cruising speed	7 kts	
Range	25 Nm	
Range extender / generator	2x25 kW	
Range with range extender at 5kts	> 1000 Nm	

Hybrid Drive

Electric motor	2 x 20 kW	2 x 20 kW
Battery capacity	up to 120 kW/h	up to 120 kW/h
Max speed electric mode	6,5 kts	6,5 kts
Range in electric mode (5kts)	up to 25 Nm	up to 25 Nm
Diesel engine	2 x 710 hp	2 x 710 Hp
Max speed diesel mode	24 kts	24 kts
Generator in diesel mode	2 x 20 kW	2 x 20 kW

Diesel Drive

2 x twin 615 hp Cummins engine	22 kts	
2 x twin 710 hp Cummins engine	26 kts	
2 x 1000 hp Catterpiller engines	29 kts	
Max range at 7 kts	> 600 Nm	



There aren't many motor yachts that can take you across the oceans. We've created the OceanClass range to do just that. To take you wherever in the world you want to go. Safely, comfortably and in style. The real OceanClass experience.

SEAWORTHY FAST EASILY MANOUVERABLE ELEGANT CLASS A

Not all yachts are created equal

HELP US CREATE THE PERFECT YACHT FOR YOU

OceanClass Yachts are semi-custom built yachts. Every customer gets a dedicated project manager to help them create their yacht, considering everything the customer asks for and if possible, makes it a custom solution for that particular client. This includes the choice of engines, cabin layouts or even a coupe version of a yacht that is normally a flybridge, as well as a wide range of materials and finishes. We have a limited capacity for the OceanClass range of yachts so exclusivity and individual approach is guaranteed.



"Much like owning a luxury strength and



SUV, this gives enormous confidence in the boat's seakeeping, even if you never intend to test these limits yourself."

Motorboat and Yachting



The high ambitions of our engineers, designers and craftsmen led to the birth of the all new OceanClass 68. The latest motor yacht from the OceanClass line personifies the prestige and luxury of the yachting lifestyle. Her distinctive characteristics make her the leader in her class with the modern, yet classy look, superb comfort and quality together with numerous innovative solutions. Modern design, ecological propulsion and other features makes this yacht the choice in the 20-m yacht range from all perspectives.

OceanClass 68

A class of its own









OceanClass Yachts are created to harmonise the modern design, comfort and luxury while employing the latest building technologies and principles such as vacuum infusion technology using the best materials that will ensure the strength and safety a Class A vessel must provide in order to withstand the high seas of open oceans.

This makes OceanClass Yachts one of the few luxury motor yachts in this size range, that fit the criteria for A certification that also allow the highest level of customisation to accommodate the owners taste and wishes.



Hydraulic bathing platform





Newly-designed dashboard with digital gauges



Helmsman side door





















Full beam master cabin mid ship









Enjoying the yachting life doesn't have to mean your pleasure comes at the expense of environment and nature that surrounds you. SVP Yachts is taking all measures to ensure minimum carbon footprint of all our vessels.

Apart from the environmentally friendly production, we have also developed a hybrid propulsion for our yachts to minimize fuel consumption and make your journeys silent and that much more enjoyable. Responsible boating and boat building has been our mission for more than a decade now.

Aft Galley






OceanClass 68



FLYBRIDGE



MAIN DECK V1



MAIN DECK V2



LOWER DECK



Toilets/washrooms

Displacement empty

Standard dimensions

Bridge clearance (incl. hard-top)

Length overall

Beam overall

Draft empty

Cabins

Berths

Diesel tank Water tank CE category

J&. Design

Solar / Power management

Solar panels	up to 1.6
Standard AGM batteries	10,

Standard inverter

See how it works on greenlinehybrid.com

* Displacements are calculated with 50% fuel and water plus liferaft but with no optional equipment or other gear fitted. ** Depending on selected equipment and propulsion.

*** Maximum speeds will vary depending on cleanliness of hull, condition of stern gear, craft load, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without any warranty or liability on the part of SVP Yachts. For more information and detailed standard specifications please contact your local dealer.

Features

 Solar panels as standard

Volvo Penta Engine

Silent eco-navigation

 Opening bathing platform

 City water connection • 230/120V AC

power at all times

 Adaptive owner's cabin

 Twin-access, Open galley high-volume bathroom

 Sheltered cockpit and sidedecks

• Natural light and 360° panoramic view in the salon

Cockpit side exit

Cockpit storage

Single level living space

Technical specifications

Electric Drive

20,80 m	68'3"
5,45 m	17'11"
5,71 m	18'9"
1,4 m	4'7"
28.000 kg appr.	61.729 lbs
3 + salon + Crew	
6 / 8 / 10	
3	
5.000	1.320 gal
1.000	264 gal
А	
J&J Design	

Electric motor	2 x 100 kW	
Battery capacity	up to 320 kW/h	
Max speed	10 kts	
Cruising speed	7 kts	
Range	25 Nm	
Range extender / generator	2 x 25 kW	
Range with range extender at 5kts	> 1000 Nm	

Hybrid Drive

Electric motor	2 x 60 kW	
Battery capacity	up to 142 kW/h	
Max speed electric mode	8 kts	
Range in electric mode (5kts)	up to 15 Nm	
Diesel engine	up to 2 x 1000 hp	
Max speed diesel mode	25 kts	
Generator in diesel mode	2 x 60 kW	

650 Watt

),56 kW/h

5 kW

Diesel Drive

(D) DIESEL)	\sim	_
	(D))

2 x 800 Hp Shaft drive	22 kts	
2 x 1000 Hp Shaft drive	25 kts	
2 x 1150 Hp Shaft drive	28 kts	
Max range at 7 kts	2000 Nm	

Greenline Hybrid Experience Center



Discover the sound of silence

LAMPERTHEIM, GERMANY

The above mentioned Central EU test center is not only perfectly located logistically, but it is also amazing for those who want to experience the German countryside! Go on a German Wine Tour or visit the Heidelberg Castle while you come on your Greenline Yacht experience tour.




TEST CENTER PORTOROŽ

Portorož Marina is where we test out and launch all of our yachts. Most of our Greenline models are available to test all year round.

When visiting this specific test center you are only an hour away from our shipyard, where we invite our valued customers to see for themselves how our yachts are made.





FORT LAUDERDALE, FLORIDA

Visit our test centre in the 'Sunshine State' of Florida. Fort Lauderdale is famed for its beaches and boating canals. Choose any boat of your desire. Here, you can pick and mix from our full fleet and choose between traditional and alternative propulsion.



Your drafting board



Your drafting board





No Greenline representative near you? Contact us at sales@svpyachts.com



www.greenlinehybrid.com



SVP Yachts, Zapuže 10a, 4275 Begunje, Slovenia



Greenline 33



Greenline 39



Greenline 40



Greenline 45 Coupe



Greenline 48 Fly



Greenline 48 Coupe



Greenline 48 Fly



Greenline 58 Fly



OceanClass 68